St Hugh of Lincoln Catholic Primary School

Learning in Maths

St Hugh of Lincoln

Introduction

Thank you for taking an interest in how your child learns the essential skills of maths at St Hugh of Lincoln Primary School!

We appreciate that much of the maths that your child is learning today at St Hugh's (and all primary schools across the country) may seem unfamiliar to you and, in so many ways, appear very different to how you were taught.

The aim of this booklet is to help you to understand the concepts your children are being taught and and how you can help them in this vital area of learning.

The biggest difference today is that the emphasis is on thinking and mental work, rather than the rote learning of methods. The hope is that in this way, children can understand why and how a method works rather than simply knowing a method for getting an answer.

The good news is that all the lovely old methods that you remember from your school days will be taught to your child, but only at a stage when they are able to understand why they are doing it. From your child's point of view this must be the best way: a blind ability to follow a method without knowing why it works will not help them in the long term.

What that means is that we have to do a little extra work unpicking what we know to see the principles and concepts that lie behind it. That way we can start to help our children in a positive and supportive way in their maths learning. We hope that this booklet will help in that process.

St Hugh of Lincoln

teaching calculations

We are working towards building up a progression of skills in the children so that by the time your child is in upper Key Stage 2, they should be asking themselves a number of important questions whenever they are faced by a maths related problem…

- What is the problem about – which operations (+, -, x or ÷) will I need?

- Can I do this in my head?

- Can I do it in my head but with the help of some drawings or jottings?

- Do I *need* to use a written method?

- Do I *need* to use a calculator?

- What is a reasonable estimation of the likely answer?

And then, having completed the calculation…

- Is my answer a reasonable or sensible one?

The aim is to give all children an armoury of strategies that they can use to understand the meaning of a question and build their confidence so that they know how best to tackle it. A written method may not always be the best way!

Progression in addition
Add, plus, total, sum

1. Number names and ordering
One of the first things we do is teach the children the names of the numbers and their order. This means that the children can begin to count objects and to see the relationship between how many and an actual number.

They are then in a better place to start combining numbers by addition.

Some number relationships will be taught such as the "number bonds to 10" and then progressing upwards through the years. This is important for the children to understand the effect of adding a 3 to a 7 or a 1 to a 9 and so on.

2. Number lines and other graphic methods
The next step is to use numbers of objects to add
For example, *if I eat 2 sweets and then 3 more, how many have I eaten?*

The children can use actual groups of objects to work out the answer once their understanding of the number names and order is secure.

The children may then start independently to draw pictures or make a tally to help them with the addition.

This progresses to the use of a number line:

```
0    1    2    3    4    5    6    7    8    9   10
```

From here the children can continue to add by counting on. So, if I eat 3 more sweets, how many will I have eaten in total?

*Please note that the use of the number line continues right through the school – it is not an infants' tool! An "empty number line" (ie you put in the numbers that you need) can be used for more complicated calculations such as 457 + 59, provided that the child has a good understanding of number and can "partition" ie see 59 as 50 + 9 (see below):*

3. <u>Partitioning and recombining</u>

As the calculations get more complicated and the use of mental maths on its own or number lines become less efficient, so the children progress to more formal written methods.

These rely on an understanding of place value and the ability to partition.
ie knowing that the digit 4 in 46 actually has a value of 40 or 4 tens etc, meaning that 46 is made up of 40 + 6

A calculation can then be completed as follows:
My sunflower is 47cm tall. It grows another 39cm. How tall is it now?
46 + 39

$$
\begin{array}{rcl}
\textit{Tens} & & \textit{Units} \\
40 \;+ & & 6 \\
\underline{30 \;+} & & \underline{9} \\
70 \;+ & & 15 \;=\; 85
\end{array}
$$

4. <u>Expanded written method with exchange</u>

There is then a natural progression to start to talk about "exchange" where, for example, 10 units are exchanged as 1 ten and shown in the tens column:

There are 467 girls and 529 boys in the secondary school. How many children all together?
467 + 529

$$
\begin{array}{r}
 \overset{10}{} \\
400 \ + \ \ 60 \ + \ \ \ \ 7 \\
\underline{500 \ + \ \ 20 \ + \ \ \ \ 9} \\
\underline{900 \ + \ \ 90 \ + \ \ \ \ 6} \ = \ 996
\end{array}
$$

5. <u>Compact written methods</u>

Once children are confident with the expanded written method, then they are ready for the more traditional compact method of addition: there is nothing to be gained – except confusion - by teaching this method until children have a real and secure understanding of place value. This is generally in upper Key Stage 2.

6874 Woking supporters were at the Final and 3837 Redbridge fans. How many fans were there in total?
6874 + 3837

$$
\begin{array}{ccccc}
\overset{1}{\,}6 & \overset{1}{\,}8 & \overset{1}{\,}7 & 4 & + \\
3 & 8 & 3 & 7 & \\
\hline
1 \quad 0 & 7 & 1 & 1 &
\end{array}
$$

<u>Progression in subtraction</u>

Subtract, less, minus, take away, find the difference

1. <u>Number bonds</u>

Again, simple subtraction can follow an understanding of number and ordinal number and basic number bonds to 10 and beyond. If I know 3 + 7 is 10, the next step of understanding is that if I take 3 away from 10, I will be left with 7.

2. <u>Practical and Graphic methods</u>

Children will start by using objects as soon as they can reliably count and identify the order of number. For example,
I have 5 balloons but 2 burst. How many have I got left?

5 take away 2… there are 3 left

Working independently the children will then start to show the calculation by drawing or using dots or a tally – it shows that they can visualise the calculation: the first step to a mental calculation.

This will then progress to the use of the number line

3. Counting back and counting on, using the number line and mentally

As with addition, once the children are confident with place value and partitioning, they can then start to use the empty number line efficiently (mental calculations will also develop).

Counting back:
I cut 27cm from a ribbon measuring 84cm. How much is left?

- 7   - 20

57   64   84

84 – 27 = 57

Counting on:
Sometimes it is easier to count on (it is a more natural direction for us!) from the smaller number to the larger number to find the difference between them.
The library lends 378 of its 834 books. How many are left on the shelves?
The calculation is 834 – 378 or finding the difference between 378 and 834…

+ 22   + 400   + 34

378   400   800   834

22 + 400 + 34 = 456
So, 834 – 378 = 456

4. <u>Expanded written method with decomposition and exchange</u>

The first written method introduced is an expanded one to help the children understand what is happening. It is at this stage that the children need to start exchanging tens for ten units or hundreds for 10 tens. Traditionally we have may said "borrowed" but this gives a false impression that we will give it back! Today we use the term "exchange".

There are 754 children in the hall and 286 leave. How many children are still in the hall?

754 - 286

Hundreds		Tens		Units		
700	+	50	+	4	-	
200	+	80	+	6		
= 700	+	40	+	14		10 is exchanged from the tens column to the units
200	+	80	+	6		
= 600	+	140	+	14		100 is exchanged from the hundreds column to the tens
200	+	80	+	6		
400	+	60	+	8	=	468

754 – 286 = 468

5. <u>Compact written methods with decomposition and exchange</u>

Once children are confident with what they are doing, then it is possible to compact the method to the more traditional written method with which parents may be more familiar. Again, without an understanding of why they are doing this, the method can be very confusing indeed!

There are 4347 ants in the ant hill but 2879 leave to collect food. How many ants are left in the ant hill?

	3	⁴₄ ¹²	₃ ¹³	⁴₄ ¹	7	-	*in this case an exchange has been required*
		2	8	7	9		*from the tens, hundreds and thousands*
		1	4	6	8		

4347 – 2879 = 1468

Progression in multiplication

Multiply, times, lots of

Learning times tables is a great advantage in almost all areas of maths but particularly multiplication. Again, learning by rote before the child is able to understand what the times table means is *not* as valuable.

1. Repeated addition with graphic methods

Children are introduced to multiplication first as repeated addition. As in every case this will start with the use of physical objects and then move to pictures and other graphic methods.

For example:

Each child has two feet. How many feet do four children have?

2 x 4

2 + 2 + 2 + 2   = 8

2. Arrays and number lines

An array is a way of showing data in a regular rectangular form of columns and rows so, for example it can help with 3 x 4:

```
•••              ••••
•••              ••••
•••     or       ••••
•••
```

This also helps children to understand that 3 x 4 is the same as 4 x 3.

The use of the number line is for repeated addition:

There are 4 cats. Each cat has 6 kittens. How many cats are there altogether?

| +6 | +6 | +6 | +6 |

0   6   12   18   24

4 x 6 = 24

This can be developed for larger numbers by using known facts:

There are 13 biscuits in a packet. How many biscuits in 7 packets?

13 x 7

= (10 x 7) + (3 x 7)

13 x 7 = 91

3. <u>Grid method with partitioning</u>

The more advanced use of the number line leads naturally to the grid method – the first written method we teach for multiplication. This is dependent on a secure understanding of place value and partitioning.

A block is 193cm high. How high would 6 blocks be if they were placed on top of each other?

193 x 6

x	100	90	3
6	600 +	540 +	18 = 1,158

This method can be used for numbers of any size provided the child is confident in partitioning:

Eg 34 x 27

x	30	4		
20	600 +	80	=	680
7	210 +	28	=	238
				918

4. <u>Expanded written method</u>

This method takes the grid method and starts to put it in to a vertical structure as an introduction to the conventional compact method. Again, it depends on a secure understanding of place value and partitioning:

A block is 193cm high. How high would 6 blocks be if they were placed on top of each other?

193 x 6

1   9   3   x

12

```
              6
        1   8      (3 x 6)
    5   4   0      (90 x 6)
    6   0   0      (100 x 6)
  1,1   5   8
```

5. Compact written method for "long multiplication"

The final step is the introduction of the compact method for long multiplication. It is essential that children understand place value before tackling this method as they need to understand the need to place a 0 in the units column when multiplying by tens in order to "hold the place", to be a placeholder…

There are 52 weeks in a year. How many weeks in 27 years?

52 x 27

```
        5   2   x
        2   7
      1
    3   6   4        (52 x 7)              The 0 must be placed in
                                           the units column as a
      1                                    place holder because we
  1   0   4   0  ◄── (52 x 20)            are now multiplying tens.
  1   4   0   4
```

PROGRESSION IN DIVISION
### *Divide, share, split, group*

Division is seen as the hardest operation – but it shouldn't be! It is the inverse to multiplication. A good grasp of times tables, understanding not just reciting, will really help!

1. Sharing and grouping using graphic methods
Children start by sharing and grouping. Again, practical objects and then images are the way in.
There are 6 lollies to be shared between 2 children. How many lollies will each child get?

Sharing: one for you, one for me… until all are gone

*There are six lollies, how many children can have 2 each?*

Grouping: in twos…

2. Repeated subtraction and number lines
Number lines can be used for repeated subtraction:
*A lolly costs 7p. How many can I buy with 28p?*

- 7	- 7	- 7	- 7
28	21	14	7	0

4 jumps of 7, so 28 ÷ 7 = 4

LEARNING IN MATHS: an information booklet for parents and carers

This can also work where there are remainders.

This can be further developed by using larger "chunks" of the divisor, for example:
I need 6 pins to put up a picture. How many pictures can I put up with 84 pins?

10 x 6		4 x 6	
84		24	0

It is easier to use a chunk of ten 6s than repeatedly subtract individual sixes.
So, 84 ÷ 6 = 14

3. <u>Repeated subtraction and "chunking"</u>

Yes, here it is, everyone's favourite mystery… CHUNKING!!

This is simply repeated subtraction of "chunks" of the divisor to make the calculation as simple as possible. The chunks need to be sensible amounts eg a multiple of 10…

I have 200 chairs to arrange in to rows of 6. How many rows will I have?

```
    200              200                      200
  -   6            -  60  (10 x 6)           - 180      (30 x 6)
    194              140                        20
  -   6            -  60  (10 x 6)           -  18      (3 x 6)
    188               80                         2
  -   6            -  60  (10 x 6)
     …                20                       33 r 2
  -   6            -  18   (3 x 6)
     20                2
  -   6
     14                   33 r2
  -   6
      8
  -   6
      2
  33 r 2
```

So 33 full rows and 2 chairs left over.

The more confident the understanding, the larger the "chunks" and the more efficient the method.

4. Short division

The final progression is to short division . This may start in an extended form:

I have 200 chairs to arrange in to rows of 6. How many rows will I have?

```
              3    3   r 2
      _____
   6  ) 2     0    0
       - 1    8    0             30 x 6
              _____
              2    0
             - 1    8              3 x 6
              _____
                   2              r 2
```

Once this concept is clear, it is possible to move to the short form of division:

```
              3    3   r 2
      _____
   6  ) 2    ²0   ²0
```

ALWAYS, ALWAYS try to estimate first and check that the answer makes sense, in EVERY calculation…

St Hugh of Lincoln

Ideas for

helping at home

There are so many positive ways to help your child with maths at home – just as important as reading with them every day!

❖ The first big thing that everyone can do is to BE POSITIVE…
If you tell your child that you could never do maths, you give them the excuse to stop trying. Therefore, please keep positive – have a *can do* attitude!

❖ Make maths fun – not lists of calculations and an expectation that they will want or be able to use the methods that you remember from school…

❖ Use the internet… there are great interactive games out there for children of all ages and also games for the PC, Nintendo, Playstation etc. Children in Years 2 – 6 have log-ins for Mathletics that they can use from home. The BBC has some great games and activities…

❖ Make maths practical. Shopping, cooking, DIY… it all needs maths so try to involve the children in those activities too: the measuring, counting out, paying, working out the change and so on.

❖ Show them maths in every day activities. Play a game of adding the numbers on number plates whilst in the car. The level can alter to hit the level that your child is working at – too easy and they will be bored, too hard and they will not want to play!

❖ Work with them on telling the time. This can be very hard, but is such an important skill. Look at analogue and digital time, 12 hour and 24 hour clocks.